CYCLO® INDUSTRIES, LLC MATERIAL SAFETY DATA SHEET

10190 Riverside Drive, Palm Beach Gardens, Florida 33410-4881 Phone: (561) 775-9600

First Aid Emergency: (800) 752-7869 Ext. 10 or (312) 906-6194 Ext. 10

Shipping Emergency: (800) 424-9300 or (703) 527-3887

This MSDS is being provided to your company for the purpose of providing current health and safety information to your management and for your employees who work with this product. Please read the information on these sheets and then provide this information to those people at your company whose responsibility it is to comply with FEDERAL, STATE and COMMUNITY RIGHT TO KNOW regulations. Also, make this information available to any employee who requests it.

If Cyclo Industries, LLC considers the formula of this product to be a trade secret, the exact chemical names of the ingredient(s) and the percentages in which they are combined will not appear in the body of this sheet. The exact composition is available upon request to physicians, industrial hygienists and other health professionals.

SECTION 1 - PRODUCT IDENTIFICATION

Product Name: C-109 Cyclo Parts, Tools & Brake CleanerTM Common Code #: 930

Hazardous Material Description:

DOT: Consumer Commodity ORM-D

IMDG: Aerosols, 2, UN1950, Limited Quantity

HMIS Code: Health = 2 Flammability = 0 Reactivity = 0

SECTION 2 - PHYSICAL DATA

Boiling Range: $189^{\circ}F - 250^{\circ}F$ Specific Gravity (H₂O=1): 1.456 - 1.610

Vapor Pressure (mmHg): 31 - 60 Vapor Density: Not given

Percent Volatile By Volume (%): 100 Solubility in Water: Not soluble in water

Evaporation Rate (Butyl Acetate = 1): Greater than 1

Appearance and Odor: Colorless liquid, chlorinated solvent odor

Volatile Organic Compound (VOC) (as packaged minus water): Less than 50%

SECTION 3 - HAZARDOUS INGREDIENTS			
CAS Reg. No.	<u>Material</u>	Percentage Range	Exposure Levels
124-38-9	Carbon Dioxide	1 – 5	5000 ppm = OSHA TWA
			9000 mg/m ³ =OSHA TWA
			5000 ppm = ACGIH
			$9000 \text{ mg/m}^3 = \text{ACGIH}$
79-01-6	* Trichloroethylene	1 - 5	50 ppm = OSHA TWA
			$270 \text{ mg/m}^3 = \text{OSHA TWA}$
			50 ppm = ACGIH
			$270 \text{ mg/m}^3 = \text{ACGIH}$
127-18-4	* Perchlorethylene	70 - 80	25 ppm = OSHA TWA
			$171 \text{ mg/m}^3 = \text{OSHA TWA}$
			50 ppm = ACGIH
			$343 \text{ mg/m}^3 = \text{ACGIH}$
1330-20-7	* Xylene	20 - 30	100 ppm = OSHA TWA
			$434 \text{ mg/m}^3 = \text{OSHA TWA}$
			100 ppm = ACGIH
			$434 \text{ mg/m}^3 = \text{ACGIH}$

^{*} This product contains chemicals which are subject to the reporting requirements of SARA 313.

SECTION 4 - FIRE AND EXPLOSION HAZARD DATA

Flash Point: None Method Used: None

Extinguishing Media: Carbon dioxide, dry chemical, foam

Special Fire Fighting Procedures: Containers can build up pressure if exposed to fire. Containers should be cooled with water spray.

Fire Fighting Equipment: Self-contained breathing apparatus with full face piece operated in pressure demand or positive pressure mode.

Unusual Fire and Explosion Hazards: Vapors are heavier than air and can collect in low areas.

Note: Material will not support combustion.

SECTION 5 - HEALTH HAZARD DATA

Acute Health Effects:

Ingestion: This product may be harmful or fatal if swallowed. May cause discomfort, nausea,

vomiting and diarrhea if swallowed.

Inhalation: Respiratory irritation, dizziness, changes in heart rate. Alcohol consumed before

exposure may increase adverse effects.

Skin Contact: Prolonged or repeated contact with skin can cause irritation.

Eye Contact: Will cause irritation upon contact.

SECTION 5 - HEALTH HAZARD DATA continued

Chronic Health Effects: Overexposure to the ingredients in this product may cause liver abnormalities and kidney damage. Perchloroethylene has been shown to increase the rate of spontaneously occurring malignant tumors in certain laboratory animals.

First Aid Procedures:

Ingestion: DO NOT induce vomiting. Give CONSCIOUS victim glass of water and seek

medical attention. NEVER give water to unconscious victim.

Skin Contact: Wash area with soap and water. Seek medical attention if irritation persists.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. Seek medical

attention.

Eye Contact: Immediately flush eyes with plenty of water for 15 minutes. Seek medical attention.

SECTION 6 - REACTIVITY DATA

Stability: Stable

Incompatibility (materials to avoid): Strong oxidizing agents.

Hazardous Decomposition Products: Hydrogen chloride, small amounts of phosgene and chlorine if

material is involved in fire.

Hazardous Polymerization: Will not occur.

Conditions to Avoid: Excessive heat, open flame.

SECTION 7 - SPECIAL PROTECTION INFORMATION

Respiratory Protection: Wear organic vapor air purifying respirator when working with this product.

Ventilation: Strong general or local exhaust ventilation.

Protective Gloves: Chemical resistant gloves such as nitrile.

Eye Protection: Chemical splash goggles with indirect or no ventilation.

Other Protective Equipment: Eye wash station and safety shower.

Comments: Never eat, drink or smoke in work areas.

SECTION 8 - SPILL OR LEAK PROCEDURES

Steps To Be Taken In Case Material Is Released or Spilled: Notify safety personnel, evacuate all unnecessary personnel and provide adequate ventilation. If feasible without risk, clean-up personnel should stop leak. All clean-up personnel should wear proper personal protective equipment. SMALL SPILL: Clean with inert absorbent and place in recovery drums for disposal.

SECTION 8 - SPILL OR LEAK PROCEDURES continued

LARGE SPILL: Dike to prevent further migration of material. Do not release into waterways or sewers. Follow applicable OSHA regulation 20CFR1910.120.

Waste Disposal Method: Dispose of in accordance with local, state and federal regulations. Before attempting clean up, refer to other sections of this MSDS for hazard caution information.

Note: Product in aerosol container. Spill hazard unlikely

SECTION 9 - SPECIAL PRECAUTIONS

Precautions To Be Taken In Handling and Storage: Store in clean, dry locations away from excessive heat. Store in areas designated for the storage of (Level I) aerosols according to NFPA 30B (Manufacture and Storage of Aerosol Products.)

Other precautions: Wash thoroughly after handling. Do not get into eyes, on skin or on clothing.

Date entered: 6/17/97

Date revised: 9/8/98

Cyclo Industries, LLC provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgement in determining its appropriateness for a particular purpose. Cyclo Industries, LLC makes no representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose with respect to the information set forth herein or to the product to which the information refers. Accordingly, Cyclo Industries, LLC will not be responsible for damages resulting from use of or reliance upon this information.