CYCLO[®] INDUSTRIES, LLC MATERIAL SAFETY DATA SHEET

10190 Riverside Drive, Palm Beach Gardens, Florida 33410-4881 Phone: (561) 775-9600

First Aid Emergency: (800) 752-7869 Ext. 10 or (312) 906-6194 Ext. 10 Shipping Emergency: (800) 424-9300 or (703) 527-3887

This MSDS is being provided to your company for the purpose of providing current health and safety information to your management and for your employees who work with this product. Please read the information on these sheets and then provide this information to those people at your company whose responsibility it is to comply with FEDERAL, STATE and COMMUNITY RIGHT TO KNOW regulations. Also, make this information available to any employee who requests it.

If Cyclo Industries, LLC considers the formula of this product to be a trade secret, the exact chemical names of the ingredient(s) and the percentages in which they are combined will not appear in the body of this sheet. The exact composition is available upon request to physicians, industrial hygienists and other health professionals.

SECTION 1 — PRODUCT IDENTIFICATION

Product Name: C-62, Foam A	way Tire Care	
Hazardous Material Description:	DOT - Consumer Commodity ORM-D IMDG – Aerosols, 2, UN1950, Ltd. Qty.	
HMIS Code: HEALTH=1	FLAMMABILITY=2	REACTIVITY=0
SECTION 2 — PHYSICAL DATA		

Boiling Point: 212 - 262°FSpecific Gravity: 0.99 gms/mlVapor Pressure: Not applicable.Vapor Density: Not applicable.Percent Volatile By Volume (%): >85%Percent Solids By Weight (%): <20%</td>Solubility in Water: Soluble.pH: 10.5

Evaporation Rate: Not determined.

Volatile Organic Compound (VOC) as packaged minus water: <15%

Appearance and Odor: White foam, characteristic odor; pressurized.

C-62 Foam Away Tire Care MSDS – Page Two

SECTION 3 — HAZARDOUS INGREDIENTS			
CAS REG. NO.	MATERIAL	PERCENTAGE	TLV (Units)
110-91-8	Morpholine	<1.0	20 PPM
112-34-5	*Diethylene Glycol N-Butyl Ether	<8.0	Not determined
68476-86-8	Isobutane	<10.0	1000 PPM (TWA)

* Subject to SARA Title III, Section 313 reporting

SECTION 4 — FIRE AND EXPLOSION HAZARD DATA

Flash Point: <-20°F

Method Used: T.C.C.

Extinguishing Media: Water, Foam, Carbon Dioxide.

Special Fire Fighting Procedures: None known.

Unusual Fire and Explosion Hazards:

Prolonged exposure to temperatures above 130°F may cause cans to burst.

SECTION 5 — HEALTH HAZARD DATA

Effects of Overexposure:

Ingestion:	Nausea and vomiting.
Inhalation:	None known.
Skin Contact:	None known.
Eye Contact:	Mild irritation.
Threshold Limit Value:	Not determined.
First Aid Procedures:	
Ingestion:	Induce vomiting and contact physician if necessary.
Skin Contact:	Wash with soap and water.
Inhalation:	Remove to fresh air if necessary.
Eye Contact:	Flush with plenty of water for at least 15 minutes. Contact a physician if irritation persists.

C-62 Foam Away Tire Care MSDS – Page Three

SECTION 6 — REACTIVITY DATA

Stability: Stable.

Conditions to Avoid: Temperatures above 130°F.

Incompatibility (materials to avoid): None known.

Hazardous Decomposition Products: None known.

Hazardous Polymerization: Will not occur.

SECTION 7 — SPECIAL PROTECTION INFORMATION

Respiratory Protection: Not normally required.

Ventilation:

Local Exhaust Rate: Recommended

Mechanical (General): Acceptable.

Protective Gloves: Rubber gloves.

Other Protective Equipment: None.

SECTION 8 — SPILL OR LEAK PROCEDURES

Steps To Be Taken In Case Material Is Released or Spilled: Pick up excess with absorbent material and discard in accordance with regulations. Flush surfaces with water.

Waste Disposal Method: Waste must be disposed of according to local, state and federal regulations.

CERCLA (Superfund) Reportable Quantity (in lb.): Not determined.

RCRA Hazardous Waste No. (40 CFR 261.33): Not determined.

Special: None.

Eye Protection: Safety glasses.

SECTION 9 — SPECIAL PRECAUTIONS

Precautions To Be Taken In Handling and Storage: Contents under pressure. Do not store below 32°F or above 130°F. Do not puncture or incinerate containers. Do not use or store near heat, sparks or open flame.

Other precautions: Keep this and all chemicals out of the reach of children.

Date entered: 4/26/95

Date revised 7/17/95

Cyclo Industries, LLC provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgement in determining its appropriateness for a particular purpose. Cyclo Industries, LLC makes no representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose with respect to the information set forth herein or to the product to which the information refers. Accordingly, Cyclo Industries, LLC will not be responsible for damages resulting from use of or reliance upon this information.