

# **MATERIAL SAFETY DATA SHEET**

350 RING ROAD ELIZABETHTOWN, KY 42701 (270) 769-5557 Fax (270) 769-6418

# BOLTLOCKER - RED HIGH STRENGTH PART NOS. 49451, 49452, 49453, 49454

#### **SECTION I – IDENTITY INFORMATION**

Product Type:

Anaerobic Adhesive/Sealant

# **SECTION II – COMPOSITION/INFORMATION ON INGREDIENTS**

<u>Hazardous Component</u>	CAS Number	<u>%</u>
Dimethacrylate Ester	25852-47-5	65-75
Bisphenol A Fumurate Resin	39382-25-7	20-30
Saccharin	81-07-2	1-3
Polyethylene	9002-88-4	1-3
Amorphous Silica	112945-52-5	0.1-1.0
Cumene Hydroperoxide*	80-15-9	1-3
Organic Acid	Trade Secret	0.1-1.0
Dyes	Trade Secret	0.03-0.10
*SARA Section 313 Toxic Chemical		

Ingredients whic	h have exposure limits		
<b>Exposure Limits (TWA)</b>	ACGIH (TLV)	OSHA (PEL)	<b>OTHER</b>
Amorphous Silica	10mg/m3 TWA	6mg/m3 TWA	3mg/m3 TWA
			resp. dust

#### **Exposure Limits (STEL)**

# SECTION III – HAZARDOUS IDENTIFICATION

Toxicity	:	Mild eye irritant
Primary Routes of Entry	:	Eyes, skin
Signs of Exposure		May cause dermatitis on prolonged contact in ensitive individuals.
Existing Conditions Aggrav	2	None known

#### **SECTION IV – FIRST AID MEASURES**

Ingestion

Inhalation Skin Contact Eye Contact : Do not induce vomiting. Keep individual calm. Obtain medical attention.

- Does not apply.
- Wash affected area with soap and water.

: Flush with warm water. Seek competent medical attention.

# **SECTION V – FIRE FIGHTING MEASURES**

Flash Point	:	150-200 <sup>0</sup> F, Tag Closed Cup
Extinguishing Media	:	Foam, Dry chemical or Carbon Dioxide
Unusual Fire or Explosion Hazards	:	None
Special Fire Fighting Procedures	:	None
Hazardous Products Formed by Fire or		
Thermal Decomposition	:	Irritating organic vapors.

#### SECTION VI – ACCIDENTAL RELEASE AND DISPOSAL MEASURES

Accidental Spill or Leak

**Disposal Procedures** 

: Soak up with inert absorbent. Store in a partly filled, closed container until disposal.

: Incinerate or dispose of in an approved landfill in accordance with local and EPA regulations Not a RCRA hazardous waste.

# **SECTION VII – HANDLING AND STORAGE**

Safe Storage Handling

- : Store below  $100^0$  F.
- : Avoid contact with skin and eyes.

#### **SECTION VIII – PROTECTIVE EQUIPMENT**

		Does not apply. Not applicable.
Skin	:	Rubber, polyethylene, or neoprene gloves. Safety glasses or goggles with side shields.

# SECTION IX – PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Red liquid
Odor	: Mild
Boiling Point	$: >300^{0}$ F
Vapor Pressure	: $<5$ mmHg @ $20^{0}$ C
Vapor Density	: Approximately 3 (Air = 1)
Evaporation Rate	: N/A
Specific Gravity	: 1.04
Solubility in Water	: Negligible

# SECTION X – STABILITY AND REACTIVITY DATA

Stability Hazardous Polymerization Incompatibility StableWill not occurNone

#### **SECTION XI – TOXICOLOGICAL INFORMATION**

See section III

# SECTION XII – ECOLOGICAL INFORMATION

No Data

#### SECTION XIII – TRANSPORTATION INFORMATION

Domestic Ground Transport Proper Shipping Name

Hazard Class or Division

Identification Number

Marine Pollutant

Unrestricted (not more than 450 liters) combustible Liquid, n.o.s. (more than 450 liters)
Unrestricted (not more than 450 liters) combustible Liquid (more than 450 liters)
None (not more than 450 liters) NA 1993 (more than 450 liters)
No

#### SECTION XIV – REGULATORY INFORMATION

CA Proposition 65

This product contains saccharin. Proper

usage

necessitates no Proposition 65 warning.

# SECTION XV – HAZARD CODE INFORMATION

Hazard	<u>NFPA Hazard Code</u>	HMIS Hazard Code
Health	1	1
Fire	1	1
Reactivity	1	1
Specific Hazard	None	Personal protection: See Section VIII

NFPA is a registered trademark of the National Fire Protection Association. HMIS is a registered trademark of the National Paint and Coatings Association.

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of the data or the results to be obtained from the use thereof. Because the information contained herein may be applied under conditions beyond our control, we assume no responsibility for its use.

Rev. 03/07/03