

MATERIAL SAFETY DATA SHEET

350 RING ROAD ELIZABETHTOWN, KY 42701 (270) 769-5557 (270) 769-6418

BRAKE SYSTEM SILICONE COMPOUND PART NO. 49578

SECTION I – IDENTITY INFORMATION

Chemical Family : Silicone Compound

SECTION II – HAZARDOUS INGREDIENTS

INGREDIENTSCAS #
Silica, AmorphousOHSA PEL
112945-52-5ACGIH TLV
6 mg/m³WGT%
10 mg/m³

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Physical Form : Paste

Odor : Slight, sweet

pH : N/A
Viscosity : N/A
Volatile Content : <1.5%Boiling Point : $>300^{0}$ C
Color : Translucent
Specific Gravity : 1.03

Specific Gravity : 1.03 Solubility in Water : Insoluble

Vapor Pressure : $<5 \text{ mm Hg} @. 25^{\circ}\text{C}$

Vapor Density : >1 Melting Point : N/A

SECTION IV – FIRE AND EXPLOSION HAZARD DATA

Auto Ignition : Not Determined

Flash Point : $>575^{0}$ F

Upper Explosive Limit (%) : Undetermined Lower Explosive Limit (%) : Undetermined

Extinguishing Media : Use carbon dioxide or dry chemical on small

fires. Use foam and/or water spray for large

fires.

Special Fire Fighting Procedures : Self-contained breathing apparatus and pro-

tective clothing should be worn in fighting fires

involving chemicals.

SECTION V – REACTIVITY DATA

Stability : Stable

Incompatibility (Material to Avoid) : Strong acids or bases, strong oxidizing

materials

Conditions to Avoid : None known Hazardous Polymerization : Will not occur.

SECTION VI – HEALTH HAZARD DATA

HEALTH EFFECTS DATA:

Eye Contact : Contact with the eyes may cause temporary

irritation. Flush eyes with copious amounts of water for a minimum of 15 minutes. If irritation

develops contact a physician.

Skin Contact : Contact with the skin is not expected to cause

irritation. Wash contacted area with soap and

water.

Inhalation : Inhalation exposure is not likely to occur.
Oral : If ingested DO NOT induce vomiting. Get

prompt medical attention.

SPECIAL HEALTH EFFECTS:

Carcinogens : None known
Teratogens : None known
Mutagens : None known
Reproductive Toxins : None known
Sensitizers : None known

SECTION VII - ACCIDENTAL RELEASE MEASURES

Spill or Leak Procedure : Observe all personal protection equipment. Use

absorbent material to collect and contain material

for disposal.

Waste Disposal Methods : Dispose in accordance with all applicable

federal, state and local regulations. This material

is not a RCRA hazardous waste material.

SECTION VIII – HANDLING AND STORING

Handling : Keep container closed when not in use. Avoid

prolonged skin contact. Keep away from eyes, use

recommended personal protective equipment.

Storage : Store in temperatures below 100^{0} F.

SECTION IX – EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye : Use proper protection – safety glasses as a

minimum.

Skin : Chemical protective gloves are recommended.

wash at mealtime and end of shift.

Inhalation : None should be needed.

Precautionary Measures : Avoid eye and skin contact. Keep container

closed when not in use. DO NOT take internally.

SECTION X – SHIPPING INFORMATION

DOT Shipping Name : Unrestricted

DOT Hazard Class : Non-hazardous, unrestricted.

UN/NA Number : None

Label Required : No special labeling is required.

SECTION XI – OTHER REGULATORY INFORMATION

TSCA : All components are on the inventory.

SARA 302 : No components subject to 40 CFR 370.

SARA 311 & 312 : Not subject to reporting requirements of

40 CFR 370.

California Proposition 65 : No proposition 65 chemicals are known to be

present.

SECTION XII - HAZARD COMMUNICATION CODES

NFPA RATINGS:

Health : 1 Flammability : 0 Reactivity : 0

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of the data or the results to be obtained from the use thereof. Because the information contained herein may be applied under conditions beyond our control, we assume no responsibility for

its use.

Rev. 5/23/03