

#### **MATERIAL SAFETY DATA SHEET**

350 RING ROAD ELIZABETHTOWN, KY 42701 (270) 769-5557 (270) 769-6418

# BRAKE AND CALIPER LUBRICANT PART NO. 49590

#### SECTION I – IDENTITY INFORMATION

Description : Brake and Caliper Lubricant

#### SECTION II – HAZARDOUS INGREDIENTS

**OTHER LIMITS** 

<u>INGREDIENTS</u> <u>OSHA PEL</u> <u>ACGIH TLV</u> <u>RECOMMENDED</u> <u>WGT %</u>

None

All components of this product are listed on the Toxic Substance Control Act (TSCA) inventory of chemical substances maintained by the U.S. Environmental Protection Agency.

## SECTION III - PHYSICAL DATA

Appearance and Odor : Black, smooth textured with little odor.

#### SECTION IV – FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used) : 580°F (Open Cup)

Flammable Limits : N/A

Extinguishing Media : Water spray, foam, dry chemical, C0<sub>2</sub>. Special Fire Fighting Procedures : Use self-contained breathing apparatus.

Unusual Fire & Explosion Hazards : Procedure for chemical fires.

## SECTION V – REACTIVITY DATA

Stability : Stable

Incompatibility : Strong oxidizers.

Hazardous Decomposition Products : Fumes from complete or incomplete com-

bustion may include C0<sub>2</sub>, CO, or oxides of

Nitrogen.

Hazardous Polymerization : Will not occur.

# SECTION VI – HEALTH HAZARD DATA

Route(s) of Entry : Inhalation, skin, ingestion.

Health Hazards (Acute and Chronic) : None known.

CARCINOGENICITY\*:

NTP : No IARC Monographs : No OSHA Regulated : No

\*None of the ingredients in this product are on the IARC, NTP, or OSHA list of carcinogenic

SIGNS AND SYMPTOMS OF EXPOSURE:

Eye irritation : Prolonged or repeated contact may lead to

skin irritation in some individuals, particularly in

cases of pre-existing skin conditions.

Medical Conditions Generally Aggravated

by Exposure: None known.

EMERGENCY AND FIRST AID PROCEDURES:

Eyes : Flush thoroughly with water. Get medical

attention.

Skin : Wash with soap and water.

Ingestion : No ill effects expected for small amounts.

#### SECTION VII – PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be Taken in Case Material is Released

or Spilled: Soak up with absorbent material such as sand,

earth, sweeping compound or some other absor-

bent material.

Waste Disposal Method : Dispose of in accordance with state, federal,

and local regulations.

\*Not classified as a Hazardous Waste under Federal Regulations.\*

Precautions to be Taken in Handling

and Storing : Store in a cool (60-80°F) location away from

sunlight and other sources of heat.

Other Precautions : Use with adequate ventilation. Avoid pro-

longed or repeated breathing of vapors. Avoid

skin contact

## **SECTION VIII - CONTROL MEASURES**

**VENTILATION:** 

Local Exhaust : N/A

Mechanical (General) : Acceptable

Special : N/A Other : N/A

Protective Gloves : Not normally required.

Eye Protection : Safety glasses or full face shield Other Protective Equipment : Safety shower and eye bath.

Work/Hygienic Practices : Wash hands thoroughly after handling.

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of the data or the results to be obtained from the use thereof. Because the information contained herein may be applied under conditions beyond our control, we assume no responsibility for its use.

Rev. 9/26/03