

# **MATERIAL SAFETY DATA SHEET**

350 RING ROAD ELIZABETHTOWN, KY 42701 (270) 769-5557 (270) 769-6418

# BRAKE SYSTEM SILICONE COMPOUND PART NO. 49593

### **SECTION I – IDENTITY INFORMATION**

Chemical Family

: Silicone Compound

## **SECTION II – HAZARDOUS INGREDIENTS**

INGREDIENTS Silica, Amorphous	<u>CAS #</u> 112945-52-5	OHSA PEL 6 mg/m <sup>3</sup>	ACGIH TLV 10 mg/m <sup>3</sup>	<u>WGT%</u> 05-15
<b>SECTION III – PI</b>	<b>IYSICAL/CHE</b>	MICAL CHARA	CTERISTICS	
Physical Form Odor pH Viscosity Volatile Content Boiling Point Color Specific Gravity Solubility in Water Vapor Pressure Vapor Density Melting Point		<ul> <li>Paste</li> <li>Slight, sweet</li> <li>N/A</li> <li>N/A</li> <li>&lt;1.5%</li> <li>&gt;300°C</li> <li>Translucent</li> <li>1.03</li> <li>Insoluble</li> <li>&lt;5 mm Hg @</li> <li>&gt;1</li> <li>N/A</li> </ul>		

#### SECTION IV – FIRE AND EXPLOSION HAZARD DATA

Auto Ignition Flash Point Upper Explosive Limit (%)	<ul> <li>Not Determined</li> <li>&gt;575<sup>0</sup>F</li> <li>Undetermined</li> </ul>
Lower Explosive Limit (%)	: Undetermined
Extinguishing Media	: Use carbon dioxide or dry chemical on small fires. Use foam and/or water spray for large fires.
Special Fire Fighting Procedures	: Self-contained breathing apparatus and pro- tective clothing should be worn in fighting fires involving chemicals.

Pg. 2 P/N 49593

# **SECTION V – REACTIVITY DATA**

Stability Incompatibility (Material to Avoid)

Conditions to Avoid Hazardous Polymerization

- : Stable
- : Strong acids or bases, strong oxidizing materials
- : None known
- : Will not occur.

# SECTION VI – HEALTH HAZARD DATA

Eye Contact: Contact with the eyes may cause temporary irritation. Flush eyes with copious amounts of water for a minimum of 15 minutes. If irritation develops contact a physician.	
1 1 2	f
Skin Contact: Contact with the skin is not expected to causeirritation.Wash contacted area with soap and water.	
Inhalation : Inhalation exposure is not likely to occur.	
Oral : If ingested DO NOT induce vomiting. Get prompt medical attention.	
SPECIAL HEALTH EFFECTS:	
Carcinogens : None known	
Teratogens : None known	
Mutagens : None known	
Reproductive Toxins : None known	
Sensitizers : None known	

# SECTION VII – ACCIDENTAL RELEASE MEASURES

Spill or Leak Procedure	: Observe all personal protection equipment. Use absorbent material to collect and contain material for disposal.
Waste Disposal Methods	: Dispose in accordance with all applicable federal, state and local regulations. This material is not a RCRA hazardous waste material.

# **SECTION VIII – HANDLING AND STORING**

Handling	: Keep container closed when not in use. Avoid
	prolonged skin contact. Keep away from eyes, use
	recommended personal protective equipment.
Storage	: Store in temperatures below $100^{\circ}$ F.

### SECTION IX – EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye	: Use proper protection – safety glasses as a
	minimum.
Skin	: Chemical protective gloves are recommended.
	wash at mealtime and end of shift.
Inhalation	: None should be needed.
Precautionary Measures	: Avoid eye and skin contact. Keep container
-	closed when not in use. DO NOT take internally.

:

:

#### **SECTION X – SHIPPING INFORMATION**

DOT Shipping Name	
DOT Hazard Class	
UN/NA Number	
Label Required	

Unrestricted

Non-hazardous, unrestricted.

- : None
- : No special labeling is required.

#### **SECTION XI – OTHER REGULATORY INFORMATION**

TSCA	: All components are on the inventory.
SARA 302	: No components subject to 40 CFR 370.
SARA 311 & 312	: Not subject to reporting requirements of 40 CFR 370.
California Proposition 65	: No proposition 65 chemicals are known to be
	present.

## SECTION XII – HAZARD COMMUNICATION CODES

#### NFPA RATINGS:

Health	:	1
Flammability	:	0
Reactivity	:	0

its use.

Rev. 5/23/03