

# CYCLO<sup>®</sup> INDUSTRIES, LLC

## MATERIAL SAFETY DATA SHEET

10190 Riverside Drive, Palm Beach Gardens, Florida 33410-4881

Phone: (561) 775-9600

First Aid Emergency: (800) 752-7869 Ext. 10 or (312) 906-6194 Ext. 10

Shipping Emergency: (800) 424-9300 or (703) 527-3887

This MSDS is being provided to your company for the purpose of providing current health and safety information to your management and for your employees who work with this product. Please read the information on these sheets and then provide this information to those people at your company whose responsibility it is to comply with FEDERAL, STATE and COMMUNITY RIGHT TO KNOW regulations. Also, make this information available to any employee who requests it.

If Cyclo Industries, LLC considers the formula of this product to be a trade secret, the exact chemical names of the ingredient(s) and the percentages in which they are combined will not appear in the body of this sheet. The exact composition is available upon request to physicians, industrial hygienists and other health professionals.

### SECTION 1 - PRODUCT IDENTIFICATION

Product Name: 06610 N<sup>o</sup> 7<sup>®</sup> Clearcoat Polishing Compound

Hazardous Material Description:

DOT = Cleaning Compounds, Liquids and Powders, Non-Hazardous

IMDG = Non-hazardous Auto Care Product

NFPA Ratings: Health = 1 Flammability = 1 Reactivity = 0

### SECTION 2 - PHYSICAL DATA

Specific Gravity (H<sub>2</sub>O=1): 1.058 @ 25°C

Appearance and Odor: Brown, creamy liquid with a fruity odor.

### SECTION 3 - HAZARDOUS INGREDIENTS

CAS Reg. No.	Material	Percentage	Exposure Limits
7631-86-9	Silica	10 – 30	20 MPPCF TWA = OSHA PEL 20 MPPCF TWA = ACGIH TLV
64741-89-5	Solvent refined light paraffinic distillate (petroleum)	1 – 10	5 mg/m <sup>3</sup> TWA = OSHA PEL 5 mg/m <sup>3</sup> TWA = ACGIH TLV
14808-60-7	Quartz (Silica-crystalline)	0.1 – 1	See 29CFR1910.1000 Table Z-3 = OSHA PEL 0.1 mg/m <sup>3</sup> TW = ACGIH TLV

\*\*\* No toxic chemical(s) subject to the reporting requirements of section 313 Title III and of 40 CFR 372 are present \*\*\*

**SECTION 4 - FIRE AND EXPLOSION HAZARD DATA**

Flash Point: 212°F (100°C) Method Used: TCC

Extinguishing Media: Water spray, dry chemical, foam or CO<sub>2</sub>.

Special Fire Fighting Procedures: Will burn. Use water to keep fire-exposed containers cool.

**SECTION 5 - HEALTH HAZARD DATA**

Effects of Overexposure:

Skin Contact: May cause irritation on prolonged or repeated contact.

Eye Contact: May cause irritation on prolonged or repeated contact.

Carcinogenicity: NTP Carcinogen = No; IARC Monographs = No; OSHA Regulated = No

First Aid Procedures:

Ingestion: Dilute by drinking large quantities of water. Immediately contact poison control center or hospital emergency room for any other additional treatment directions.

Skin Contact: In case of irritation, flush with water.

Eye Contact: Immediately flush eyes with plenty of water. Call a physician if irritation persists.

**SECTION 6 - REACTIVITY DATA**

Stability: Stable

Incompatibility (materials to avoid): Oxidizers, acids or bases.

Hazardous Decomposition Products: May include oxides of carbon and nitrogen.

Hazardous Polymerization: Will not occur.

**SECTION 7 - SPECIAL PROTECTION INFORMATION**

Respiratory Protection: No special protection necessary.

Protective Gloves: Not required for general use.

Eye Protection: No special protection necessary.

Work/Hygienic Practices: Eye washes and safety showers in the workplace are recommended. Handle in accordance with good industrial hygiene and safety practices. These practices include avoiding unnecessary exposure and removal of the material from eyes, skin and clothing. Wash thoroughly after handling.

**SECTION 8 - SPILL OR LEAK PROCEDURES**

Steps To Be Taken In Case Material Is Released or Spilled: Soak up with absorbent material and remove to a chemical disposal area. Prevent entry into natural bodies of water.

Waste Disposal Method: Dispose of in accordance with local, state and federal regulations. Before attempting clean up, refer to other sections of this MSDS for hazard caution information.

**SECTION 9 - SPECIAL PRECAUTIONS**

Precautions To Be Taken In Handling and Storage: Persons with sensitive skin should avoid prolonged, continuous contact with skin. Avoid prolonged or repeated contact with eyes. Keep container closed in a cool, dry place.

Other precautions: KEEP OUT OF THE REACH OF CHILDREN.

Date entered: 2/24/00

Date revised: NEW

Cyclo Industries, LLC provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgement in determining its appropriateness for a particular purpose. Cyclo Industries, LLC makes no representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose with respect to the information set forth herein or to the product to which the information refers. Accordingly, Cyclo Industries, LLC will not be responsible for damages resulting from use of or reliance upon this information.